





Third National Clean Cities Stateholders Conference and Expo COMMERCIALLY AVAILABLE TRUCK ENGINES

Presented by: John Bartel

Steve Ginter

Don Brugger

June 24 - 26, 1997






Mack Trucks, Inc. Chassis Manufacturer

INTEGRATED VEHICLE DESIGN

- **▼** E7 diesel engine
- **▼ E7G** natural gas engine CNG or LNG
- **Transmissions**
- Axles and suspensions



OVERALL WORLD MARKET ENGINE CLASS 8 - 1995





Source: Renault V.I.

NATURAL GAS SERIES



E7G Engine













EPA Emissions Standards

(G/BPH-HR)










Benefits of Natural Gas Power

- **▼ Low Emissions**
- **▼** Reduced Noise
- **▼** Driver Preferred Vehicle
- **▼** Ecological Success/Image
- **▼** Domestic Fuel



OEM - Class 8 - Liter Size 1989 to 1996





Source: R L Polk




E7G 12L Engine



- **▼ Engine Operates on 100% Natural Gas**
- Can use either CNG or LNG Fuel
- **▼** Spark Ignited & Throttled Engine Design
- Excellent Driveability
- **▼ Diesel-like Reliability & Durability**
- **V** Dynatard Engine Brake Available






MACK Engine

- **▼** Power 325 h.p. @ 1950 rpm
- **▼** Torque 1180 lbs. ft. @ 1250 rpm
- High power and torque for refuse application
- CNG or LNG
- **▼** Electronically controlled lean-burn



Available Torque







Woodward / MESA Electronic Fuel System

- Closed-Loop Lean Burn with Adap. Learn
- **▼** Advanced "Turbo-Lag" Compensation
- **▼** Full Authority Electronic Throttle
- V NGK UEGO Sensor
- Electronic Westgate Control
- **▼ High Energy Inductive Ignition System**
- Full Diagnostics
- Reduced Power Engine Protection





E7G 12L Engine



▼ ULEV Emission levels w/o Catalyst

< 2.0 gr/hp NOx


< 2.5 gr/hp NOx + MNHC

← < .05 gr/hp hr PM goal
</p>


▼ In field service since December 1995



Refuse - Vehicle Speed



Refuse - Engine Speed







Service & Maintenance

- **▼** Use only Medium Ash Oil (.45-.64% ASH)
- **▼** Change LNG Fuel Filter Element Annually
- **▼ Double Platinum Tip Spark Plugs**
 - F Replace every 2000 hours or annually
- **▼** Adjust Valves every 2000 hours or annually






One Warranty Provider

Truck
Engine
Fuel System



Complete Service



- **V** Subsidiaries San Leandro & Anaheim
- **▼** Dealers/Service California 24+ locations
- **V** North America Dealers 250 locations
- **▼** North America Service 600 locations





MACK OEM Benefits



- **▼ Heavy Duty Engine Builder**
- **▼** Heavy Duty Chassis Builder
- **▼** Extensive Vehicle Testing
- Vehicle Warranty
- National Dealer Support





Natural Gas Series



- Available MR & LE Models
- **▼** Available E7G Engine 325 h.p.
- **▼ Vehicle Partnership Single Source**



Competition Clean Cities Display



Volvo - Rolloff Dual Fuel LNG & Diesel w/CAT Engine




Crane Carrier CNG (City of Long Beach, CA 3 Units)



Kenworth LNG Tractor



Kenworth Tractor CNG Tank Configuration "10 Tanks"



MACK TRUCKS, INC.

Wherever progress is moving ahead, listen for the steady growl of a MACK TRUCK.

THERE ARE NATIONS THAT DON'T LAST THIS LONG.

